

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| S25 | 5487 | ((375/299.ccls.)(375/295.ccls.)(375/267.ccls.)(375/316.ccls.)(375/347.ccls.)).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/12 08:13 |
| S28 | 2 | ((transmi\$4 and receiv\$3) SAME (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and rake adj receiv\$3 and (frequency adj domain adj equaliz\$5) and OFDM) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 15:02 |
| S34 | 223 | ((transmi\$4 or receiv\$3) AND (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and rake adj receiv\$3 OR (frequency adj domain adj equaliz\$5) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM and diversity) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 10:39 |
| S35 | 159 | ((transmi\$4 or receiv\$3) AND (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and rake adj receiv\$3 OR (frequency adj domain adj equaliz\$5) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM and diversity) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 11:32 |
| S37 | 4959 | ((transmi\$4 or receiv\$3) AND (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and diversity) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 11:38 |
| S49 | 4956 | ((transmi\$4 and receiv\$3) SAME (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and diversity) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:40 |
| S50 | 18 | (S49 and (walsh adj code\$1 SAME pilot\$1 SAME binary) and select\$3) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:36 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|-----|----|------------------|
| S51 | 4 | (S49 and (walsh adj code\$1 SAME pilot\$1 SAME binary) and select\$3 with (switch\$ or circuit\$1 or mean\$1) and diversity and multipath) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:37 |
| S52 | 5 | ((transmi\$4 and receiv\$3) SAME (rake adj (receiv\$3 or combiner\$1) and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and diversity and (power adj error adj rate)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:44 |
| S53 | 16 | ((transmi\$4 and receiv\$3) SAME (rake adj (receiv\$3 or combiner\$1) and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1) and OFDM or cdma and (power adj error adj rate)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:46 |
| S54 | 27300 | ((transmi\$4 and receiv\$3) SAME (rake adj (receiv\$3 or combiner\$1) and (frequency adj domain adj equaliz\$5)) and select\$4 with (device or circuit or mean\$2 or switch\$1 and (power adj error adj rate)) and OFDM or cdma) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 14:04 |
| S59 | 5 | (S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND (select\$3 and insert\$3 and chip\$1 and data)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:57 |
| S60 | 5 | (S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND (select\$3 and insert\$3 and chip\$1)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:58 |
| S61 | 5 | (S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND (insert\$3 and chip\$1)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:58 |
| S62 | 5 | (S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary) AND insert\$3) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:59 |

EAST Search History

| | | | | | | |
|----------|-------|---|--|-----|-----|------------------|
| S63 | 31 | ((S54 and (walsh adj code\$1 SAME pilot\$1 SAME binary))) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 13:59 |
| S69 | 27300 | ((transmi\$4 and receiv\$3) WITH (rake adj (receiv\$3 AND combiner\$1) WITH (frequency adj domain adj equaliz\$5)) and select\$4 adj (device or circuit or mean\$2 or switch\$1 and signal adj quality and sharing\$ S25 decid\$3 and (carrier adj to adj interference adj power adj ratio) and (power adj error adj rate)) and OFDM or cdma) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 14:20 |
| S93 | 5487 | ((((375/299.ccls.)(375/295.ccls.)(375/267.ccls.)(375/316.ccls.)(375/347.ccls.))).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/01 14:48 |
| S94 | 344 | ((375/299.ccls.)).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/01 14:50 |
| S95 | 1584 | ((375/295.ccls.)).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/01 14:49 |
| S97 | 100 | S94 and ofdm | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/02/01 14:58 |
| S10 6 | 17 | S94 and S95 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/02/01 14:59 |

EAST Search History

| | | | | | | |
|----------|------|---|--|-----|----|------------------|
| S11 4 | 2 | ((transmi\$4 and receiv\$3) and (frame\$2 and binary and pilot\$2 and walsh adj code\$2) and (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5) or fde) and OFDM and cdma) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 15:32 |
| S11 6 | 56 | ((transmi\$4 and receiv\$3) and (rake adj receiv\$3 and (frequency adj domain adj equaliz\$5) or fde) and (OFDM or cdma) and diversity and noise and power) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/01 15:36 |
| S12 2 | 26 | ((transmi\$4 and receiv\$3) and (frequency adj domain adj equaliz\$5 and OFDM and rake adj receiv\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 08:35 |
| S12 3 | 15 | ((transmi\$4 and receiv\$3) and (frequency adj domain adj equaliz\$5 and rake adj receiv\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 08:45 |
| S12 4 | 15 | ((transmi\$4 and receiv\$3 or transceiv\$3) and (frequency adj domain adj equaliz\$5 and rake adj receiv\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 09:05 |
| S12 6 | 17 | ((ofdm and cdma) SAME (frequency adj domain adj equaliz\$5 and OFDM)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 08:47 |
| S12 7 | 39 | "6188717" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 08:57 |
| S12 8 | 1124 | (375/148.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 08:59 |

EAST Search History

| | | | | | | |
|----------|------|---|--|-----|----|------------------|
| S13 1 | 5762 | (375/295.ccls.) or (375/148.ccls.) or (375/150.ccls.) or (375/346.ccls.) or (375/144.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 09:04 |
| S13 5 | 634 | (S131 and (rake adj receiv\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 09:11 |
| S13 6 | 436 | (S135 and (multipath and noise)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 09:11 |
| S13 7 | 406 | (S136 and (multicarrier or cdma or ofdm)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 09:12 |
| S13 9 | 73 | (S136 and (equaliz\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 10:34 |
| S14 9 | 39 | (S139 and (decision and select\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:46 |
| S15 0 | 26 | (S139 and (multiplex\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 10:25 |
| S15 1 | 15 | (S136 and (frequency with equaliz\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 10:40 |

EAST Search History

| | | | | | | |
|----------|----|---|--|-----|----|------------------|
| S15 2 | 15 | (S149 and S150) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 10:43 |
| S15 3 | 9 | (S149 and S150 and rake with combin\$3) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 11:22 |
| S15 5 | 15 | (S149 and S150 and rake with (receiv\$3 or combin\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 11:26 |
| S15 6 | 15 | (S149 and S150 and (rake with (receiv\$3 or combin\$3))) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 11:27 |
| S15 7 | 15 | (S149 and S150 and (rake with (receiv\$3 or combin\$3) and cdma)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:34 |
| S16 3 | 15 | (S149 and S150 and (rake adj (receiv\$3 or combin\$3) and cdma and multipath)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:36 |
| S16 4 | 5 | (S149 and S150 and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3 and cdma)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:39 |
| S16 5 | 5 | (S149 and S150 and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:40 |

EAST Search History

| | | | | | | |
|----------|-----|--|--|-----|----|------------------|
| S16 6 | 11 | (S149 and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:43 |
| S17 0 | 353 | ((((375/349.ccls.) or (375/136.ccls.) or (375/144.ccls.) or (370/147.ccls.) or (375/206.ccls.)) and (decision and select\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:51 |
| S17 1 | 8 | ((((375/349.ccls.) or (375/136.ccls.) or (375/144.ccls.) or (370/147.ccls.) or (375/206.ccls.)) and (decision and select\$3) and (rake adj (receiv\$3 or combin\$3) and frequency with equaliz\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 14:53 |
| S17 2 | 123 | ((((375/349.ccls.) or (375/136.ccls.) or (375/144.ccls.) or (370/147.ccls.) or (375/206.ccls.)) and (decision and select\$3) and (rake adj (receiv\$3 or combin\$3) or frequency with equaliz\$3)) @ad<"20030218" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | AND | ON | 2007/02/12 15:21 |